

# Ezlo HUB Backups API

## hub.backup.create

Create controller backup and report current progress.

Broadcasts	Description
<i>hub.backup.create.progress</i>	Creating backup progress information

### parameters:

No parameters required.

### call:

```
{
  "method": "hub.backup.create",
  "id": "_ID_",
  "params": {
  }
}
```

### reply:

```
{
  "error": null,
  "id": "_ID_",
  "method": "hub.backup.create",
  "result": {}
}
```

---

## hub.backup.restore

Restore hub backup by it's key and uuid. Existing backups can be retrieved via [hub.backups.list](#) method.

Broadcasts	Description
<i>hub.backup.restore.progress</i>	Restoring backup progress information

**call:**

```
{
  "method": "hub.backup.restore",
  "id": "_ID_",
  "params": {
    "key": "6Q3ddba8...vSvxutVC",
    "uuid": "6cfa2d40-...-b5665010194e"
  }
}
```

**parameters:**

Field	Description
key	Backup key from hub.backups.list
uuid	Backup uuid from hub.backups.list

**reply:**

```
{
  "error": null,
  "id": "_ID_",
  "method": "hub.backup.restore",
  "result": {}
}
```

---

## hub.backups.list

List stored backups for controller. Use with method `hub.backup.restore`

**parameters:**

No parameters required.

**call:**

```
{
  "method": "hub.backups.list",
  "id": "_ID_",
  "params": {}
}
```

reply:

```
{
  "error": null,
  "id": "_ID_",
  "method": "hub.backups.list",
  "result": {
    "backups": [
      {
        "key": "dPgF6v7r...rasOFTNO",
        "timestamp": 1611665742704,
        "uuid": "cc690700-...-b99f87b88145"
      },
      {
        "key": "6Q3ddba8...vSvxutVC",
        "timestamp": 1611501944340,
        "uuid": "6cfa2d40-...-b5665010194e"
      }
    ]
  }
}
```